### Specifications:

Height: 11.19" (28.42 cm)
Width: 8.59" (21.82 cm)
Depth: 7.3" (18.54 cm)
Weight: 5.0 lbs (2.3 kg)
Ports: 1 5/8-12 UN-2B
SAE O-ring Thread

Service Clearance (Bottom): 4.0" (10.2 cm)


Max Airflow: 20 CFM (566 LM)

Max Engine Rating: 400 HP (298 KW)

Note: Open system CV assemblies do not include a visual restriction indicator.


Hose Fittings sold separately - See parts section

### Create a Part Number




<sup>\*</sup> If plugged: Non-Bypass assemblies will experience increased pressure on oil pan and non-pressurized engine ports.

#### Dimensions:



ASSEMBLY	DESCRIPTION
CV6001-08L	Open System; Up to 20 CFM/400 HP; Non-Bypass; High Density Media; Left Inlet
CV6001-08R	Open System; Up to 20 CFM/400 HP; Non-Bypass; High Density Media; Right Inlet






▲ WARNING: The products described in this literature can expose you to chemicals including Diisononyl phthalate, Carbon black extract, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# **PARTS**

## CV Series - CV6001



	Part #	Description
1A		CV6001 Head Assembly
1B		CV6001 Diaphram Kit
1C		CV6001 Valve Assy
1D		Housing Gasket
1E		Head Assembly Bracket
2A		CV Housing Gasket
2B		CV Filter O-ring
2C	CCV55274-08	CV6001 Replacement Element - High Density - <i>Includes</i> 2A & 2B
<b>3A</b>	CCV55275	CV6001 Housing Assembly - Includes 2A
3B	CCV55022	Drain Kit - 3/8" I.D. x 3' Hose, Check Valve, (2) Swivel Fitting

Available Fittings, Hose, Fittings + Hose Kits (Not Shown)
NOTE: Initial Install Requires Fittings & Hose; See Brochure 7790 for requirements

4A	CCV55089 CCV55268 CCV55121 CCV55267	Inlet/Outlet Fitting - 3/4" OD Hose Bard to 1 5/8" SAE Inlet/Outlet Fitting - 1 1/4" OD Hose Barb to 1 5/8" SAE Inlet/Outlet Fitting 90° - 1 1/4" OD Hose Barb to 1 5/8" SAE Inlet/Outlet Fitting - 1 1/2" OD Hose Barb to 1 5/8" SAE
4B	CV1034-01-C CV1114-01-C CV1112-01-C	Inlet/Outlet Hose - 3/4" ID Hose (Per Ft.) Inlet/Outlet Hose - 1 1/4" ID Hose (Per Ft.) Inlet/Outlet Hose - 1 1/2" ID Hose (Per Ft.)
4C	CCV55046	Hose/Fitting Kit - (2) 1-1/4" fittings, (1) 1-1/4" ID x 8 foot hose, (4) clamps, (4) ties
	CCV55047	Hose/Fitting Kit - (2) 1-1/4" fittings, (1) 1-1/4" Tee fitting, (1) 1-1/4" ID x 10 foot hose, (8) clamps, (8) ties
	CCV55048	Hose/Fitting Kit - (2) 1-¼" fittings, (1) 1-½" ID x 4 foot hose, (1) bushing reducer, (1) 1-¼" ID x 4 foot hose, (4) clamps, (4) ties
	CCV55049	Hose/Fitting Kit - (2) 1-¼" fittings, (1) 1-½" ID x 5 foot hose w/2" cuff, (1) bushing reducer, (1) 1-¼" ID x 4 foot hose, (4) clamps, (4) ties

### Accessories and Parts Available (Not Shown)

5A	CCV55385	Heavy-Duty Wear Spacer - <i>Protects element from excesive vibrations</i>
5B	CCV55462 CCV55462-12 CCV55462-24	CCV Heater Kit - 120v AC (150w) CCV Heater Kit - 12v DC (150w) CCV Heater Kit - 24v DC (150w)
5C	CCV55615-01	Electronic Remote Filter Gauge Kit



Online Link CCV Product Selector

RSL0384\_CUT\_CV6001 (05/18 Rev -)